


Accessories and Parts

Design Tips:


Identifies Organization Solutions chart on page 241

	SKU	cubes	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
--	-----	-------	--	-------	-------------	-------------

EXTERIOR SHELVES


 <ul style="list-style-type: none">• Wall System shelves• Sold in pairs• 3/4" x 36" x 13"• 3/4" x 60" x 13"	WSS36	0.9	272	•	240	272
	WSS60	1.2	455	•	394	455


BOOKSHELF KIT

 <ul style="list-style-type: none">• Recommended for use with Bookcase unites where loads on shelves will exceed over 60 lbs.• One Shelf Kit required per shelf	BKSHELFKIT	0.2	66	•	56	66
--	------------	-----	----	---	----	----


APPLIANCE CENTERS (UNDER WALL CABINET ACCESSORY)


OS


 <ul style="list-style-type: none">• Diagonal• Designed to be used between countertop and Diagonal Wall cabinet• Designed to fit under DC24• AC2417.5 Opening - 12" W x 14 1/2" H	AC2417.5	6.5	334	•	290	334
---	----------	-----	-----	---	-----	-----

 <ul style="list-style-type: none">• Straight• ACS1817.5 Opening - 13" W x 14 1/2" H• ACS2417.5 Opening - 19" W x 14 1/2" H• ACS3017.5 Opening - 25" W x 14 1/2" H	ACS1817.5	4.0	340	•	295	340
	ACS2417.5	4.9	389	•	344	389
	ACS3017.5	5.8	421	•	367	421

STEM GLASS HOLDERS (UNDER WALL CABINET ACCESSORY)





 <ul style="list-style-type: none">• Designed to be mounted underneath a standard Wall cabinet• SGH30 holds 7 rows, space between rails is 1 11/32" wide• SGH36 holds 9 rows, space between rails is 1 7/8" wide	SGH30	0.5	176	•	176	176
	SGH36	0.6	215	•	215	215



3/4" =  = 7/8"

SIDE VIEW

ACCESSORIES & PARTS

	SKU	cubes	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
ORGANIZER SHELVES (UNDER WALL CABINET ACCESSORY)						
 <p>22 7/16 5 6 2 1/4 10 24 12</p> <ul style="list-style-type: none"> Designed to mount underneath Wall cabinet Top, bottom, and sides are finished Available width: 24" 	ORG24	1.7	472	•	410	472
 <p>28 7/16 5 6 2 1/4 10 5 3/4 5 3/4 12 30</p> <ul style="list-style-type: none"> Designed to mount underneath Wall cabinet Top, bottom, and sides are finished Available width: 30" 	ORG30	2.1	509	•	441	509
 <p>34 7/16 5 6 2 1/4 10 6 3/4 6 3/4 12 36</p> <ul style="list-style-type: none"> Designed to mount underneath Wall cabinet Top, bottom, and sides are finished Available width: 36" 	ORG36	2.5	540	•	467	540
STEM GLASS HOLDERS (WALL OPEN CABINET ACCESSORY)						
 <p>10 3/4 2 3/8</p> <ul style="list-style-type: none"> One 3/4" thick Maple shelf mounted to each Stem Glass Holder Installed by placing shelf in position with included shelf clips SGH18 fits 18" wide Wall cabinets SGH21 fits 21" wide Wall cabinets 	SGH18	0.2	174	•	148	174
	SGH21	0.3	174	•	148	174

Accessories and Parts

Design Tips:

Identifies Organization Solutions chart on page 241


SKU

cubes

Price

Quantities

WALL SPICE RACKS (WALL CABINET ACCESSORY)



- Natural wood finish with chrome bars
- Mounts to door frame with provided screws
- Designed for Wall cabinets (30", 36", and 42" high), Base cabinets, Utility cabinets, and Linen Closet cabinets
- Make sure to avoid interference with Roll Trays, full-depth shelves, or other interior cabinet accessories

Model	Recommended	A Dimension	B Dimension
SRD15	15" or 30" wide	10 1/2"	9 1/2" wide
SRD18	18" or 36" wide	13 1/2"	12 1/2" wide
SRD21	21" or 42" wide	16 1/2"	15 1/2" wide

SRD15

1.2

172

Each

SRD18

1.3

172

Each


SRD21

1.4

172

Each

PEGGED DISH ORGANIZER (DRAWER ACCESSORY)



- Pegged board is 3/4" thick
- Recommended for use in DB36, DB36-4, and DBFP34-4
- Pegged board can be trimmed for use in smaller applications

Model	Recommended	A Dimension	B Dimension
PDO	15" or 30" wide	10 1/2"	9 1/2" wide
PDO18	18" or 36" wide	13 1/2"	12 1/2" wide
PDO21	21" or 42" wide	16 1/2"	15 1/2" wide

PDO

0.5

361

Includes 8 posts and board


PDOPOSTS

0.1

107

Includes 4 posts

PLASTIC CUTLERY TRAYS



- Plastic
- Place a cabinet with a PCDT next to the dishwasher for convenience
- PCDT15 - 9 27/32" W x 18 15/16" D

Model	Recommended	A Dimension	B Dimension
PCDT15	15" or 30" wide	10 1/2"	9 1/2" wide
PCDT18	18" or 36" wide	13 1/2"	12 1/2" wide
PCDT21	21" or 42" wide	16 1/2"	15 1/2" wide

PCDT15

0.4

67

Each

PCDT18

0.5

67





Each

ACCESSORIES & PARTS



Design Tips:

OS Identifies Organization Solutions chart on page 241


PLASTIC CUTLERY TRAYS **OS**

<div><div>15 27/32</div></div> <div>18 15/16</div>	<ul style="list-style-type: none">• Plastic• Place a cabinet with a PCDT next to the dishwasher for convenience• PCDT21 - 15²⁷/₃₂" W x 18¹⁵/₁₆" D <div><div>2</div></div>	PCDT21	0.7	67	Each
<div><div>18 27/32</div></div> <div>18 15/16</div>	<ul style="list-style-type: none">• Plastic• Place a cabinet with a PCDT next to the dishwasher for convenience• PCDT24 - 18²⁷/₃₂" W x 18¹⁵/₁₆" D <div><div>2</div></div>	PCDT24	0.8	67	Each


WOOD CUTLERY TRAY **OS**

 <p>18 15/16 19 1/2</p> <ul style="list-style-type: none"> • Wood • Place a cabinet with a WCDT next to the dishwasher for convenience • Designed to fit in all wood drawer boxes • Can be trimmed to fit • WCDT - 18 15/16" W x 19 1/2" D 	WCDT	0.8	113	Each
---	------	-----	-----	------

CABMAT™

 <p>22 5/16 34 17/32</p> <ul style="list-style-type: none"> • Designed to capture spills and is removable for cleaning • Will contain a spill of up to 3 quarts (2.8 liters) • Not trimmable • Available width: 36" 	CABMAT36	0.8	200	Each
--	----------	-----	-----	------




GLASS SHELF KITS - 12" DEEP

 <p>10 3/16 1/4</p> <ul style="list-style-type: none"> • Meets KCMA standards of 15 lbs. per square foot • Thick tempered glass shelves and shelf clips • Not trimmable • Available widths: 15"-36" 	GSK1512	0.5	172	Kit includes two
	GSK1812	0.5	178	
	GSK2112	1.0	203	
	GSK2412	1.0	211	
	GSK3012	1.0	224	
	GSK3612	1.0	246	

GLASS SHELF KITS - DIAGONAL

 <p>1/4</p> <ul style="list-style-type: none"> • Meets KCMA standards of 15 lbs. per square foot • Thick tempered glass shelves and shelf clips • Not trimmable • Available widths: 24" and 27" 	GSKDC24	1.5	340	Kit includes two
	GSKDC27	1.5	340	

Accessories and Parts

	SKU	cubes	Price	Quantities
HEAT SHIELD - ANGLED				
 <ul style="list-style-type: none"> • White finish • For use on cabinets next to an oven/range when an additional 1/8" cannot be added to the oven manufacturer's recommended space requirement between the oven and each adjacent cabinet • Used to deflect heat from self-cleaning ovens, away from cabinet doors and fronts • Installs on the front of the face frame of each cabinet adjacent to the oven • Includes installation screws • Cabinet door cannot be hinged on the same side as the angled heat shield • Not compatible with double door cabinets 	HEATSHIELDAN	1.0	136	Sold in pairs
HEAT SHIELD - STRAIGHT				
 <ul style="list-style-type: none"> • White finish • For use on cabinets next to an oven/range when an additional 1/8" can be added to the oven manufacturer's recommended space requirement • Used to deflect heat from self-cleaning ovens, away from cabinet doors and fronts • Installs on the side of the face frame of each cabinet adjacent to the oven • Includes installation screws 	HEATSHIELDST	1.0	110	Sold in pairs
OVEN INSTALLATION KIT				
 <ul style="list-style-type: none"> • Two metal brackets to support ovens and microwaves • Designed to be used with OCSD, OD, and OMS cabinets • Cabinet not included 	OCINSTALLKIT	0.5	45	Kit includes two

ACCESSORIES & PARTS

Design Tips:

- Shelf or Roll Tray Kits can be used to convert a standard Utility cabinet into a Pantry

OS Identifies Organization Solutions chart on page 241

SKU

cubes

Price

Dimensions


Natural Maple Laminate

Plywood


Fits 12" Deep

Fits 24" Deep

UTILITY SHELF KITS



- Contains two shelves and eight clips
- Shelves are 3/4" thick natural maple laminate
- Maximum weight per square foot is 15 lbs.



NEW

NEW

UKS15PL	0.6	81	13 1/2" x 22 1/2"	✓	✓		✓
UKS18PL	0.8	92	16 1/2" x 22 1/2"	✓	✓		✓
UKS21PL	1.0	109	19 1/2" x 22 1/2"	✓	✓		✓
UKS24PL	1.2	117	22 1/2" x 22 1/2"	✓	✓		✓
UKS30PL	1.2	134	28 1/2" x 22 1/2"	✓	✓		✓
UKS36PL	1.5	176	34 1/2" x 22 1/2"	✓	✓		✓
UKS1512PL	0.3	67	13 1/2" x 10 11/32"	✓	✓	✓	
UKS1812PL	0.2	77	16 1/2" x 10 11/32"	✓	✓	✓	
UKS2112PL	0.5	91	19 1/2" x 10 11/32"	✓	✓	✓	
UKS2412PL	0.6	98	22 1/2" x 10 11/32"	✓	✓	✓	
UKS3012PL	0.6	111	28 1/2" x 10 11/32"	✓	✓	✓	
UKS3612PL	0.7	126	34 1/2" x 10 11/32"	✓	✓	✓	

SKU

cubes

Price


Dimensions

Natural Maple Laminate

Thickness

PANTRY ROLL TRAY KIT

OS










- Features 1/2" thick solid wood front furniture board sides and back
- Includes four trays, eight suspension tracks, and eight bumper pads with installation screws
- Maximum weight per square foot is 15 lbs.
- Cannot be used in any 12" deep Utility cabinet
- Smart Stop™ Pantry Roll Tray kits are not available

NEW






UPK15	2.1	443	10 11/16" x 20 3/16"	✓	3 1/8"
UPK18	3.7	443	13 11/16" x 20 3/16"	✓	3 1/8"
UPK21	4.6	443	16 11/16" x 20 3/16"	✓	3 1/8"
UPK24	5.1	443	19 11/16" x 20 3/16"	✓	3 1/8"
UPK30	5.2	571	25 11/16" x 20 3/16"	✓	3 1/8"
UPK36	6.4	571	31 11/16" x 20 3/16"	✓	3 1/8"

Accessories and Parts





Design Tips: <ul style="list-style-type: none"> Shelf or Roll Tray Kits can be used to convert a standard Utility cabinet into a Pantry  Identifies Organization Solutions chart on page 241		SKU	cubes	Price	Recommended Width of Face Frame Opening	Trays	Track Slides	Mounting Blocks	2 1/2" Wood Screws	1/2" Wood Screws	1/8" Spacers
ROLL TRAY KITS											
 <ul style="list-style-type: none"> Features 1/2" thick solid wood front furniture board sides and back Maximum weight per square foot is 15 lbs. All guides are white Bumper pads for field installation included An additional Roll Tray can be installed above the Base cabinet half-depth shelf Smart Stop™ Roll Tray kits are not available 		TKIT15	0.5	79	12"	1	2	2	2	4	2
		TKIT18	0.8	82	15"	1	2	2	2	4	2
		TKIT21	0.9	84	18"	1	2	2	2	4	2
		TKIT24	1.0	88	21"	1	2	2	2	4	2
		TKIT27	1.0	93	24"	1	2	2	2	4	2
		TKIT30	1.2	99	27"	1	2	2	2	4	2
		TKIT33	1.4	105	30"	1	2	2	2	4	2
		TKIT36	1.5	108	33"	1	2	2	2	4	2
		TKIT39	1.6	146	16 1/2"	2	4	4	2	8	2
		TKIT45	1.6	183	19 1/2"	2	4	4	2	8	2

	SKU	cubes	Price	Quantities
CHROME TRAY DIVIDER KIT				
 <ul style="list-style-type: none"> Includes 1 divider, 3 clips Tray divider is chrome wire Not recommended in B...FH, BMD...FHB, BPG...FH, BPG...FHB 	CTDK	0.4	5	Each
ROLL TRAY BUMPER PAD				
 <ul style="list-style-type: none"> Includes two bumpers and two screws for installation Used to protect door from roll tray corners Included with roll tray cabinets and with roll tray kits Can be retrofit to all roll trays  <p>Place Bumper Pad on edge of Roll Tray front on top of Roll Tray Slide.</p>	RTBP	0.1	5	Kit includes two bumpers
DOUBLE WASTEBASKET ROLL-OUT KIT 				
 <ul style="list-style-type: none"> White epoxy coated wire with Full Extension guides (non Smart Stop™) Includes two 27 quart Wastebaskets with wire storage compartment Mounted on white melamine board and installs to floor of cabinet Installation of this accessory requires removing half-depth shelf 	DWBR	3.2	417	Kit includes two wastebaskets

ACCESSORIES & PARTS

	SKU	cubes	Price	Quantities
SINK TIP-OUT TRAYS				
	STOT30WHB	0.1	83	Kit includes two trays
	STOT36WHB	0.2	83	
<ul style="list-style-type: none">• Used for cabinets with one false front• STOT30WHB - two 11½" white trays, 2 hinges• STOT36WHB - two 14½" white trays, 2 hinges• If STOS's are used on a full overlay style, it is recommended that a pull be used• Pulls to add to the fall front must be ordered separately				
SMART STOP™ DOOR MECHANISM				
	SSDM	0.1	24	Each
<ul style="list-style-type: none">• Creates a smooth and silent closing motion• Recommended usage per cabinet: 1 per door on any door with 2 hinges (cabinets under 36" high) 2 per door on any door with 3 hinges (cabinets 36" and higher)• Additional units may be required when an accessory item is attached to the cabinet door• Not recommended for use on bi-fold doors or Base SuperCabinets™				
HINGES				
• Order under door style number	HINGE6WAYSC	0.1	10	Each
FRAME SPACERS				
	HNGSPCRF	0.0	8	Sold in pairs
	HNGSPCRF50	0.1	56	Sold in packs of 50
<ul style="list-style-type: none">• For use to provide additional door adjustment in field• Designed to be placed between the face frame and hinge mounting plate• Used to decrease gap between BUTT door - insert behind screw on face frame				
HINGE SPACERS				
	HNGSPCRD	0.1	8	Sold in pairs
	HNGSPCRD50	0.1	56	Sold in packs of 50
<ul style="list-style-type: none">• For use to provide additional door adjustment in field• Designed to be placed around the hinge cup and against the back of the door• Used to reduce appearance of a slight warp in a door - insert behind cup of hinge on door, opposite of warp				
HINGE ANGLE RESTRICTOR CLIPS				
	HNGRESCLP	0.1	8	Sold in pairs
<ul style="list-style-type: none">• For use in applications with cabinets installed at varying depths to prevent the door damage caused by opening into adjacent cabinets• Restricts hinges to 86 degree opening capability• Not recommended for cabinets with roll trays specified in partial overlay styles				

Accessories and Parts

		SKU	cubes	Arctic Dove Fossil Lunar Maple Paint	Ivory	Maple Stain	Maple Glaze
STAIN - TONER - AND TOUCH-UP							
	<ul style="list-style-type: none"> • STAINPT and STAINQT are not available in Arctic, Dove, Fossil, or Lunar • Order 1 pint of Toner for 1 quart of Stain 	STAINPT	0.1	49	•	49	49
		STAINQT	0.1	58	•	58	58
	<ul style="list-style-type: none"> • Not available in Arctic, Dove, Fossil, or Lunar • Order 1 pint of Toner for 1 quart of Stain 	TONERPT	0.1	42	•	43	43
	<ul style="list-style-type: none"> • Touch-Up Kit contains one felt marker and one putty stick • For white and antique styles, Touch-Up is only recommended for face frames and End Panels 	TUKIT	0.1	39	•	39	39
	<ul style="list-style-type: none"> • When ordering TUPSTICK, a single putty stick in the selected color is sent • For white and antique styles, Touch-Up is only recommended for face frames and End Panels 	TUPSTICK	0.1	21	•	21	21
	<ul style="list-style-type: none"> • TUPSPRAY is a 13 oz. can (400ml) • For white and antique styles, Touch-Up is only recommended for face frames and End Panels 	TUPSPRAY	0.1	47	•	47	47

Wood Specie	Color	TONERPT Required	STAINPT or STAINQT Required
Maple/Birch	Barley	✓	✓
	Caraway Glaze	✓	✓
	Cinnamon Glaze	✓	✓
	Garnet	✓	✓
	Ginger	✓	✓
	Molasses	✓	✓
	Shadow	✓	✓
	Toffee	✓	✓
	Truffle	✓	✓